

Author index

- Abeyssekera, R. 79
Alevissopoulos, S. 79
Asano, N. 195
Azuma, J.-i. 213
- Bacic, A. 147
Bock, K. 101
Buchert, J. 1
Buttersack, C. 205
- Craik, D. 147
Currie, G. 147
- Diggle, H.J. 259
Duus, J.O. 101
- El Nemr, A. 31
- Galbis, J.A. 251
Gamian, A. 61
- Haseley, S.R. 259
Hausalo, T. 1
Heinrich-Schramm, A. 205
- J. Brasch, D. 119
- Kasapis, S. 79
Kato, A. 195
Katzenellenbogen, E. 61
Kizu, H. 195
Knirel, Y.A. 61, 71, 223
Kobayashi, Y. 31
Kocharova, N.A. 61
Kochetkov, N.K. 61, 71
Kováč, P. 173
Kübler, J. 61
Kurane, R. 213
Kuwahara, R. 15
- Lei, P.-s. 173
Lüdemann, H.-D. 205
- MacDougall, A.J. 235
Mathà, M. 133
Matsui, K. 195
Meldal, M. 101
Miethchen, R. 139
Moll, H. 223
Munro, S.L.A. 147
- Nash, R.J. 195
Needs, P.W. 235
Nohata, Y. 213
- Ogawa, Y. 173
- Panikkar, R. 119
Parolis, H. 101
Parolis, L.A.S. 101
Perttula, M. 1
- Rentsch, D. 139
Reznicek, G. 133
Rigby, N.M. 235
Ring, S.G. 235
Romanowska, E. 61
- Senchenkova, S.N. 71
Shashkov, A.S. 61, 71
Sidorczyk, Z. 71
Siika-aho, M. 1
Sims, I.M. 147
Sorsa, H. 1
- Teleman, A. 1
Tenkanen, M. 1
Tsuchiya, T. 15, 31
- Watson, A.A. 195
Wilkinson, S.G. 259
- Zähringer, U. 223
Zamora, F. 251
Zych, K. 71



Subject index

O-Acetylation

Structural characterisation of xyloglucan secreted by suspension-cultured cells of *Nicotiana plumbaginifolia* 147

N-Acetylisomuramic acid

Structure of a new N-acetylisomuramic acid-containing O-specific polysaccharide of *Proteus penneri* strains 19 and 35 71

Acinetobacter baumannii

Structure of a surface polysaccharide from *Acinetobacter baumannii* O16 259

Aldono-1,5-lactones

Synthesis of 3-deoxy-2,4-di-O-methyl-D-erythro-pentono-1,5-lactone and of its L-enantiomer by stereoselective hydrogenation of α,β -unsaturated aldono-1,5-lactones 251

Alginates

Composition and block structure of alginates from New Zealand brown seaweeds 119

Altrosides

A convenient synthesis of *endo*-H ethylidene acetals 139

Aminoglycoside antibiotic

Synthesis of dibekacin analogs containing 3-oxa- and 3-aza-2,3,4-trideoxy-D-glycero-hexopyranose 15

O-Antigen

Structural study and serological characterisation of the O-specific polysaccharide of *Hafnia alvei* PCM 1185, another *Hafnia* O-antigen that contains 3,6-dideoxy-3-[(R)-3-hydroxy-butyramido]-D-glucose 61

Structure of a new N-acetylisomuramic acid-containing O-specific polysaccharide of *Proteus penneri* strains 19 and 35 71

Bacterial polysaccharide, structure

Structure of a new N-acetylisomuramic acid-containing O-specific polysaccharide of *Proteus penneri* strains 19 and 35 71

4-O-Benzyl-3-deoxy-L-glycero-tetronic acid

Synthesis of eight glycosides of hexasaccharide fragments representing the terminus of the O-polysaccharide of *Vibrio cholerae* O:1, serotype Inaba and Ogawa, bearing aglycons suitable for linking to proteins 173

Branched-chain sugars

α -Hydrogen elimination in some carbohydrate triflates 31

Brown seaweed

Composition and block structure of alginates from New Zealand brown seaweeds 119

Butyllithium

α -Hydrogen elimination in some carbohydrate triflates 31

Calcium

Calcium gelation of pectic polysaccharides isolated from unripe tomato fruit 235

Calystegine B₄

Calystegine B₄, a novel trehalase inhibitor from *Scopolia japonica* 195

Carbanion

α -Hydrogen elimination in some carbohydrate triflates 31

Carbene

α -Hydrogen elimination in some carbohydrate triflates 31

Carbohydrates

A convenient synthesis of *endo*-H ethylidene acetals 139

CI-mass spectrometry

Determination of the sugar linkage position in glycosides using ammonia chemical ionization mass spectrometry at low gas pressure 133

Conformational analysis

Synthesis of 3-deoxy-2,4-di-O-methyl-D-erythro-pentono-1,5-lactone and of its L-enantiomer by stereoselective hydrogenation of α,β -unsaturated aldono-1,5-lactones 251

5-Deoxy-5-fluorination

Synthesis of dibekacin analogs containing 3-oxa- and 3-aza-2,3,4-trideoxy-D-glycero-hexopyranose 15

Deuterated compound

α -Hydrogen elimination in some carbohydrate triflates 31

Diastereoselective hydrogenation

Synthesis of 3-deoxy-2,4-di-O-methyl-D-erythro-pentono-1,5-lactone and of its L-enantiomer by stereoselective hydrogenation of α,β -unsaturated aldono-1,5-lactones 251

EI-mass spectrometry

Determination of the sugar linkage position in glycosides using ammonia chemical ionization mass spectrometry at low gas pressure 133

Electrospray ionisation

Structural characterisation of xyloglucan secreted by suspension-cultured cells of *Nicotiana plumbaginifolia* 147

Enterobacteria

Structural study and serological characterisation of the O-specific polysaccharide of *Hafnia alvei* PCM 1185, another *Hafnia* O-antigen that contains 3,6-dideoxy-3-[(R)-3-hydroxy-butyramido]-D-glucose 61

Ethyldene acetals

A convenient synthesis of *endo*-H ethyldene acetals 139

Gelatin

Formation of kinetically trapped gels in the maltodextrin-gelatin system 79

Gelation

Calcium gelation of pectic polysaccharides isolated from unripe tomato fruit 235

GLC-MS

Calystegine B₄, a novel trehalase inhibitor from *Scopolia japonica* 195

Glucosides, aqueous solution

c.T-Dependence of the self-diffusion in concentrated aqueous solutions of methyl α - and β -D-glucopyranosides 205

Glycosides

Determination of the sugar linkage position in glycosides using ammonia chemical ionization mass spectrometry at low gas pressure 133

Glycosylation

Synthesis of dibekacin analogs containing 3-oxa- and 3-aza-2,3,4-trideoxy-D-glycero-hexopyranose 15

Hafnia alvei

Structural study and serological characterisation of the O-specific polysaccharide of *Hafnia alvei*

PCM 1185, another *Hafnia* O-antigen that contains 3,6-dideoxy-3-[(R)-3-hydroxy-butyramido]-D-glucose 61

endo-H Diastereomers

A convenient synthesis of *endo*-H ethyldene acetals 139

Hexasaccharide

Synthesis of eight glycosides of hexasaccharide fragments representing the terminus of the O-polysaccharide of *Vibrio cholerae* O:1, serotype Inaba and Ogawa, bearing aglycons suitable for linking to proteins 173

HPAED-PAD

4-O-Methyl- β -L-idopyranosyluronic acid linked to xylan from kraft pulp: isolation procedure and characterisation by NMR spectroscopy 1

Hydrogenation

A convenient synthesis of *endo*-H ethyldene acetals 139

Kinetic effects

Formation of kinetically trapped gels in the maltodextrin-gelatin system 79

Kraft pulp

4-O-Methyl- β -L-idopyranosyluronic acid linked to xylan from kraft pulp: isolation procedure and characterisation by NMR spectroscopy 1

Linkage analysis

Structural characterisation of xyloglucan secreted by suspension-cultured cells of *Nicotiana plumbaginifolia* 147

Lipopolysaccharide

Structural study and serological characterisation of the O-specific polysaccharide of *Hafnia alvei* PCM 1185, another *Hafnia* O-antigen that contains 3,6-dideoxy-3-[(R)-3-hydroxy-butyramido]-D-glucose 61

Structure of a surface polysaccharide from *Acinetobacter baumannii* O16 259

Lipopolysaccharide, acid degradation

Structure of a new N-acetylglucosaminic acid-containing O-specific polysaccharide of *Proteus penneri* strains 19 and 35 71

Maltodextrin

Formation of kinetically trapped gels in the maltodextrin-gelatin system 79

Mass spectrometry

Structural characterisation of xyloglucan secreted by suspension-cultured cells of *Nicotiana plumbaginifolia* 147

Methylation

Determination of the sugar linkage position in glycosides using ammonia chemical ionization mass spectrometry at low gas pressure 133

- 4-O-Methyliduronic acid
4-O-Methyl- β -L-idopyranosyluronic acid linked to xylan from kraft pulp: isolation procedure and characterisation by NMR spectroscopy 1
- Methylolithium
 α -Hydrogen elimination in some carbohydrate triflates 31
- Na in liquid NH_3
Synthesis of dibekacin analogs containing 3-oxa- and 3-aza-2,3,4-trideoxy-D-glycero-hexopyranose 15
- Neoglycoconjugate
Synthesis of eight glycosides of hexasaccharide fragments representing the terminus of the O-polysaccharide of *Vibrio cholerae* O:1, serotype Inaba and Ogawa, bearing aglycons suitable for linking to proteins 173
- Nicotiana plumbaginifolia*
Structural characterisation of xyloglucan secreted by suspension-cultured cells of *Nicotiana plumbaginifolia* 147
- NMR
Structural characterisation of xyloglucan secreted by suspension-cultured cells of *Nicotiana plumbaginifolia* 147
- NMR spectroscopy
4-O-Methyl- β -L-idopyranosyluronic acid linked to xylan from kraft pulp: isolation procedure and characterisation by NMR spectroscopy 1
Structural study and serological characterisation of the O-specific polysaccharide of *Hafnia alvei* PCM 1185, another *Hafnia* O-antigen that contains 3,6-dideoxy-3-[(*R*)-3-hydroxy-butyramido]-D-glucose 61
- O16 Antigen, structure
Structure of a surface polysaccharide from *Acinetobacter baumannii* O16 259
- Pb(OAc)₂ oxidation
Synthesis of dibekacin analogs containing 3-oxa- and 3-aza-2,3,4-trideoxy-D-glycero-hexopyranose 15
- Pectic polysaccharide
Calcium gelation of pectic polysaccharides isolated from unripe tomato fruit 235
- Phase separation
Formation of kinetically trapped gels in the maltodextrin-gelatin system 79
- Proteus*
Structure of a new *N*-acetylglucosaminic acid-containing O-specific polysaccharide of *Proteus penneri* strains 19 and 35 71
- Proton 1,2-shift
 α -Hydrogen elimination in some carbohydrate triflates 31
- Reductive amination
Synthesis of dibekacin analogs containing 3-oxa- and 3-aza-2,3,4-trideoxy-D-glycero-hexopyranose 15
- Ripening
Calcium gelation of pectic polysaccharides isolated from unripe tomato fruit 235
- Scopolia japonica*
Calystegine B₄, a novel trehalase inhibitor from *Scopolia japonica* 195
- Self-diffusion
c,T-Dependence of the self-diffusion in concentrated aqueous solutions of methyl α - and β -D-glucopyranosides 205
- Solvent partition
Formation of kinetically trapped gels in the maltodextrin-gelatin system 79
- Structural analysis
Composition and block structure of alginates from New Zealand brown seaweeds 119
- Structure/activity relationships
Calystegine B₄, a novel trehalase inhibitor from *Scopolia japonica* 195
- Sugar linkage determination
Determination of the sugar linkage position in glycosides using ammonia chemical ionization mass spectrometry at low gas pressure 133
- Tomato
Calcium gelation of pectic polysaccharides isolated from unripe tomato fruit 235
- Transition state
 α -Hydrogen elimination in some carbohydrate triflates 31
- Trehalase inhibitor
Calystegine B₄, a novel trehalase inhibitor from *Scopolia japonica* 195
- Triflate
 α -Hydrogen elimination in some carbohydrate triflates 31
- Trimethylsilylation
Determination of the sugar linkage position in glycosides using ammonia chemical ionization mass spectrometry at low gas pressure 133
- Unsaturation
 α -Hydrogen elimination in some carbohydrate triflates 31
- Vibrio cholerae* O-antigen
Synthesis of eight glycosides of hexasaccharide fragments representing the terminus of the O-polysaccharide of *Vibrio cholerae* O:1, serotype Inaba and Ogawa, bearing aglycons suitable for linking to proteins 173

Xylan

4-*O*-Methyl- β -L-idopyranosyluronic acid linked to xylan from kraft pulp: isolation procedure and characterisation by NMR spectroscopy 1

Xylanase

4-*O*-Methyl- β -L-idopyranosyluronic acid linked to xylan from kraft pulp: isolation procedure and characterisation by NMR spectroscopy 1

Xyloglucan

Structural characterisation of xyloglucan secreted by suspension-cultured cells of *Nicotiana glauca* 147

